MtuWTh 5:30 – 8:15 բ
ace of the planet Mars. The iron content viation of 1.9 g/Kg. Use this information ntent of all the rocks on the surface
n that iron can be found in rocks on
ses old tires for fuel there will be high ws. Variation in the measurements ner these concerns are appropriate. the standard deviation of Dioxin in res. Assume the values represent is bell-shaped.
ws. Variation in the measurements ner these concerns are appropriate. the standard deviation of Dioxin in
ws. Variation in the measurements ner these concerns are appropriate. the standard deviation of Dioxin in res. Assume the values represent
ws. Variation in the measurements ner these concerns are appropriate. the standard deviation of Dioxin in res. Assume the values represent
ws. Variation in the measurements ner these concerns are appropriate. the standard deviation of Dioxin in res. Assume the values represent
ws. Variation in the measurements ner these concerns are appropriate. the standard deviation of Dioxin in res. Assume the values represent

Why?\_\_\_\_

YES

NO

Statistics 300	Name:		Summer 2010
nstructor: Lawrence C. Larsen		Exam #2	MtuWTh 5:30 – 8:15 pm
7 points; 7 minutes) 3. The weights of people follow deviation of 18 Kg. What is an average weight less than	the probability th	nat a random sample of 2	2 people will have
8 points; 8 minutes) 4. (a) For the uniform distributi will be greater than 191 and			

(b) What is the probability that two random values from this uniform distribution will both be between 191 and 377 ?

Statistics 300	Name:	Summer 2010
Instructor: Lawrence C.	Larsen	MtuWTh 5:30 – 8:15 pm
	Exan	1 #2
-	centile (P <sub>34</sub> ) of the uniform distributi ired and is worth 2 points.	on on the interval [1109, 3755] ?

(6 points; 6 minutes)

6. NASA (National Aeronautics and Space Administration) is thinking of going to the Moon again.

One goal of the trip would be to estimate the average amount of Lithium in the rocks on the Moon.

On Earth, the standard deviation of Lithium per kg of rock is about 0.45 milligrams. If NASA wants to have 98% confidence that the amount of Lithium per Kg of Moon rocks in their sample will be within 0.1 milligrams of the true mean Lithium content per Kg of all Moon rocks, how many Moon rocks should NASA plan to study?

Statistics 300	Name:		Summer 2010
Instructor: Lawrence C. Larsen			MtuWTh 5:30 - 8:15 pm
		Exam #2	

(8 points; 8 minutes)

7. The Department of Fish and Game monitors the health of fish populations in the Pacific Ocean. In the past, the variability (sigma) of salmon weights has been 2.37 pounds. Recently, a sample (consider it to be effectively "random") of 41 salmon had the statistics given in the box below. Use this information to test the claim that the variability of salmon weights is now at least 0.5 pounds more than it was "in the past". (Use a 5% significance level for this test.)

H₀:			
Н:			

Statistics for Salmon Sample

$$\overline{\chi}$$
 = 7.72 pounds

$$s = 2.88$$
 pounds

8. NASA (National Aeronautics and Space Administration) is thinking of going to the Moon again. One goal of the trip would be to estimate the amounts of minerals such as Lithium in the rocks on the Moon. On Earth, 15% of all rocks have measurable amounts of Lithium. If NASA wants to have 95% confidence that the proportion of Moon rocks with measurable Lithium in their sample will be within 3 percentage points of the true proportion of all Moon rocks containing measurable amounts of Lithium, how many Moon rocks should NASA plan to study?

Statistics 300 Name:		Summer 2010
Instructor: Lawrence C. Larsen	Exam #2	MtuWTh 5:30 – 8:15 pm
(8 points; 8 minutes)  9. A random sample of rocks from the surfa amounts of Lithium in them and 198 did r amounts of lithium in them. Use the data proportion of Moon rocks that contain Lit that contain Lithium. Use alpha = 3% for	not. On Earth, 15% of the rocks ha for the Moon rocks to test the cla thium is greater than the proportio	ive measurable im that the
	H <sub>o</sub> :	
	H <sub>1</sub> :	
(5 points; 4 minutes) 10. If $X \sim N(\mu = 85.3, \sigma = 12.88)$ , what is the pr greater than 90.2 ? (The picture is require		will be

อเลแรแตร จบบ	name:		Summer 2010
nstructor: Lawrence C. Larse	∍n		MtuWTh 5:30 - 8:15 pm
		Exam #2	
5 points; 4 minutes)			
11. For the Normal distribut	tion with mean = 835	and standard deviation = 66	, what is the value
that separates the lower	r 67% of the distributi	on from the upper 33%?	
The picture is required a	and is worth 2 points.		
•	·		

(7 points; 7 minutes)

12. Use the data given here for a random sample of Basketball fans to make an 82% confidence interval for the proportion of all basketball fans in Arizona whose favorite team is the Sacramento Kings.

Favorite		Home	State	
Basketball Team	AZ	CA	WA	Total
Phoenix Suns	140	60	30	230
Sacramento Kings	40	270	10	320
Seattle Sonics	20	70	160	250
Total	200	400	200	800

Statistics 300	Name:		Summer 2010
Instructor: Lawrence C. Larsen			MtuWTh 5:30 – 8:15 pm
		Exam #2	

(9 points; 10 minutes)	
(9 points: 10 minutes)	
(o pointo, ro minutos)	

13. The Department of Fish and Game monitors the health of fish populations in the Pacific Ocean. A random sample of 5 tuna were captured and weighed. Use the data given here to test the claim that the mean weight of all tuna is less this year than it was last year, when records show that the average weight was 70.4 pounds. Use a "Type I Error Rate" of 0.025.

Weights* of Tuna		
Fish#	Weight	
1	83.5	
2	68.5	
3	58.6	
4	84.0	
5	43.4	

<sup>\*</sup> weights in pounds